





## K 3 Power Control

K 3 Power Control pressure washer with G 120 Q Power Control spray gun and spray lances. With application consultant via app, which provides practical tips for even more efficient cleaning results.



### 1 Home & Garden app

- The Kärcher Home & Garden app makes you a cleaning expert.
- Make use of our extensive Kärcher knowledge for the perfect cleaning results.

### 2 Power Control spray gun and Quick Connect spray lances

- The optimal setting for every surface. Three pressure settings and one detergent setting.
- Full control - the manual display shows the settings that have been set.

### 3 Height-adjustable telescopic handle

- For a convenient pulling height.
- Completely retractable for optimal storage.

### 4 Clean tank solution

- Clean and convenient - the detergent tank can be removed for filling.
- The practical detergent tank simplifies the application of detergents.



## K 3 Power Control

- Power Control spray gun with pressure level display
- Telescopic handle
- Detergent tank

### Technical data

<b>Order no.</b>	1.676-100.0	
<b>EAN code</b>	4054278605166	
<b>Pressure</b>	<b>bar / MPa</b>	20 - max. 120 / 2 - max. 12
<b>Flow rate</b>	<b>l/h</b>	max. 380
<b>Inlet temperature</b>	<b>°C</b>	max. 40
<b>Connection load</b>	<b>kW</b>	1.6
<b>Current type</b>	<b>V / Hz</b>	220 - 240 / 50 - 60
<b>Weight without accessories</b>	<b>kg</b>	4.39
<b>Dimensions (L × W × H)</b>	<b>mm</b>	297 × 280 × 677

### Equipment

<b>High-pressure gun</b>	G 120 Q Power Control	
<b>Vario Power Jet</b>	■	
<b>Dirt Blaster</b>	■	
<b>High-pressure hose</b>	<b>m</b>	7
<b>Quick Connect on the side of the device</b>	■	
<b>Detergent application via</b>	Tank	
<b>Integrated water filter</b>	■	
<b>A3/4" garden hose connector adapter</b>	■	
<b>Removable cleaning agent tank</b>	■	

■ Included in the scope of supply.

# K 3 POWER CONTROL

## 1.676-100.0

**KÄRCHER**



		Order no.					Price	Description	
<b>Spray lances</b>									
VP 120 vario power jet for K 2-K 3	1	2.642-724.0						Vario power spray lance for pressure washers in classes K 2 to K 3. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	■
DB 120 dirt blaster for K 2-K 3	2	2.642-727.0						Dirt blaster with powerful entry rotary nozzle for Kärcher pressure washers in classes K 2 and K 3. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
TLA 4 telescopic spray lance	3	2.644-190.0						Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	□
Façade & glass cleaning kit	4	2.644-249.0						Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	□
Splash guard	5	2.642-706.0						Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	6	2.638-817.0						Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	□
1-step lance extension	7	2.643-240.0						Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
VP 180 S vario power jet short 360° for K 2-K 7	8	2.643-254.0						VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
Telescopic spray lance	9	2.642-347.0						Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
<b>Surface cleaners</b>									
T 5 T-Racer surface cleaner	10	2.644-084.0						Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	□
PS 30 power scrubber surface cleaner	11	2.644-123.0						The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
PS 30 Plus power scrubber surface cleaner	12	2.644-212.0						The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	□
<b>Brushes</b>									
WB 150 power brush	13	2.643-237.0						WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	□
WB 120 rotating wash brush	14	2.644-060.0						Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	□
WB 120 rotating wash brush car & bike	15	2.644-129.0						Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	□

■ Included in the scope of supply. □ Available accessories.





# K 3 POWER CONTROL

## 1.676-100.0



		<b>Order no.</b>						<b>Price</b>	<b>Description</b>	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	30	2.643-144.0							Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
<b>Miscellaneous</b>										
Sand and wet-blasting kit	31	2.638-792.0							Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Vario joint	32	2.640-733.0							Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	33	4.730-059.0							Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
O-ring set	34	2.640-729.0							Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# K 3 POWER CONTROL

## 1.676-100.0

**KÄRCHER**



		Order no.					Price	Description	
<b>Hose storage and hose trolley</b>									
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0						Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0						Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	<input type="checkbox"/>
<b>Hoses</b>									
Hose set for pressure washers	3	2.645-156.0						Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	4	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	5	2.645-138.0						The robust PrimoFlex® (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	6	2.645-142.0						PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" - 20m	7	2.645-318.0							<input type="checkbox"/>
Hose Performance Plus 3/4" - 25m	8	2.645-322.0							<input type="checkbox"/>
Performance Premium hose, 1/2" - 20 m	9	2.645-324.0							<input type="checkbox"/>
<b>Hose connection systems</b>									
Universal hose coupling Plus	10	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	11	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.