

# **Product datasheet** HALOPIN PRO 33 W 230 V G9

#### HALOPIN PRO | Halogen lamps with G9 base



 General illumination Workplace lighting Lighting for reading Dining table lighting Mirror lighting Accent lighting Mood lighting

Brilliant accent lighting Incredibly small dimensions for revolutionary new luminaire designs Robust filament design thanks to innovative, unique bulb pinch technology Approved for use in open luminaires (to IEC 60598-1) UV filter Complies with IEC 60432-2 thanks to integrated fuse function Lower thermal output (compared with the standard reference product)



### Product datasheet

#### Technical data

#### **Electrical data**

Nominal wattage	33.00 W
Nominal voltage	230 V
Rated wattage	33.00 W
Claimed equiv. conventional lamp power	40 W


### Photometrical data

Nominal luminous flux	460 lm
Rated color temperature	2800 K
Light color (designation)	Warm White
Rated luminous flux	460 lm
Color rendering index Ra	100
Color temperature	2800 K
Luminous flux	460 lm

### Light technical data

Starting time	0.0 s

## Dimensions & weight



Diameter	14.0 mm
Length	43.0 mm
Light center length (LCL)	22.0 mm
Overall length	43.0 mm
Outer bulb	T13,3
Product weight	2.90 g

#### Lifespan

### Product datasheet

### Additional product data

Base (standard designation)	G9
Mercury-free	Yes

### Capabilities

Burning position	Any
Dimmable	Yes


#### Certificates & standards

Energy efficiency class	G
Energy consumption	35 kWh/1000h

### **Country specific categorizations**

ILCOS	HSGST/C/UB-33-230-G9-22	
Order reference	66733 PRO 35W 2	

### **Light Distribution**



HAL\_HV\_UVS

Logistical Data

#### Product datasheet

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321208668	HALOPIN PRO 33 W 230 V G9	Shipping carton box 20 Pieces Folding carton box	144 mm x 64 mm x 118 mm	1.09 dm <sup>3</sup>	136.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner of LEDVANCE of LAMPS



OSRAM GmbH Marcel-Breuer-Strasse 6 80807 Munich, Germany