



USB Type-C™ to HDMI Adapter, 4K/30Hz



Manual

DA-70852 Rev. 2

Product features

The USB Type-C™ 4K HDMI graphics adapter allows you to connect a TV set, monitor or projector to a USB-C™ device. The highest possible resolution is UHD (4K/30Hz). It is suitable for all operating systems: Windows®, Mac®, Google Chrome®. The adapter is a must-have accessory, whether you use it privately when connecting your laptop to a TV set or professionally for presentations with an HDMI projector.

Functional description

1. Chipset: AG9310
2. Support USB3.1 input and HDMI output.
3. 5.4 Gbps (HBR2), 2.7 Gbps (HBR) and 1.62 Gbps data channel.
4. Support the following resolution:
4Kx2K@24Hz, 25Hz, 30Hz;1080P@24Hz, 50Hz, 60Hz,720P, 480P, 576i and 480i,
@50Hz and 60Hz

Package Content

1. USB Type-C™ 4K HDMI graphics adapter
2. 1 x Manual

Specifications

Signal Inputs/Output	
Input port	USB3.1 Type-C Male x1
Output port	HDMI Female x1 (HDMI 1.4)
Environmental	
Operating Temperature	0°C to +450°C
Operating Humidity	10% to 85% RH (no condensation)
Storage Temperature	-100°C to +800°C
Storage Humidity	5% to 90% RH (no condensation)
Power Requirement	USB bus power
External Power Supply	NO
Accessories Adapter	
Size(L-W-H)	Main Unit: 45×45×14.8mm Cable: 150mm
Remote control	NO

Operation



1. Connect USB-C port of this product to the Macbook®
2. Connect HDMI output of this product to HDTV with one HDMI cable

Hereby Assmann Electronic GmbH, declares that the Declaration of Conformity is part of the shipping content. If the Declaration of Conformity is missing, you can request it by post under the below mentioned manufacturer address.

www.assmann.com
Assmann Electronic GmbH
Auf dem Schüffel 3
58513 Lüdenscheid
Germany

