

DIGITUS EV charging cable, 7,5m, type 2 to type 2

DK-1P32-075
EAN 4016032481409



EV charging - Single Phase, 240V, 32A, 7,5 m Type 2 to Type 2 Standard Charger cable

The DIGITUS DK-1P32-075 car charging cable allows you to easily connect any vehicle with type 2 plug to public charging stations or wallboxes with charging socket. The type 2 charging cables are certified according to EN 62196-1:2014, EN 62196-2:2017 and protection class IP55.

DIGITUS DK-1P32-075 (7,5m) high quality flexible cable, offers in longer length, the comfort of charging in Home (garage) and also in public charging station

- Type: Straight cable
- Cable length : 7,5m
- Cable diameter : 3*6mm²+1*0.75mm²
- Outer diameter : 16,8mm +/- 0,5mm
- Color : Black
- Jacket : TPU
- Connector : EN 62196-2 type 2

- Rated voltage : 240V
- Rated power : 7,4kW
- Rated current : 32A
- Number of phases : 1 phase
- Contact resistance : 0.5mΩ (Max)
- Insulation resistance : 1000MΩ (Min) @ DC500V
- Resistive voltage : 2000V
- Resistance coding : 220Ω
- Terminal temperature rise : ≤50K
- Standard : EN 62196-1:2014, EN 62196-2:2017
- Working temperature : -30°C+50°C
- Humidity at work : 5% -95% non-condensed.
- Flammability standard : UL94 V-0
- IP protection : IP55 (water-jet protected)

Package contents

- 1 x Charger Cable
- Quick Installation Guide

Logistics						
	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	5	20.85	63.00	38.00	38.00	90,972.00
Packaging Unit Inside	1	4.17	0.00	0.00	0.00	0.00
Packaging Unit Single	1	4.17	35.00	35.00	15.00	18,375.00
Net single without Packaging	1	3.82	35.00	35.00	15.00	18,375.00

More images:

