# PRODUCT DATASHEET PANAN Disc Single Grey

PANAN® Disc Single | Mobile table luminaires with continuous dimming



## Areas of application

- Where light is required but a socket is not available
- Whenever a cableless solution is preferred
- When flexible lighting is required
- Living areas
- Tables, Desks

#### **Product benefits**

- Can easily be moved to where light is needed thanks to battery operation
- Switching and stepless dimming via a touch sensitive sensor on the luminaire base
- Bendable luminaire neck for free orientation of light source

## **Product features**

- Integrated rechargeable lithium battery which can be charged via USB cable
- Light color: Warm White
- Housing made of plastic, luminare neck made of silicone rubber
- Battery discharge time: up to 4 h



## **TECHNICAL DATA**

## Electrical data


Nominal wattage	5.00 W
Nominal voltage	5 V
Mains frequency	0 Hz
Protection class	ш
Operating mode	Battery

#### Photometrical data

Luminous flux	220 lm	
Luminous efficacy	44 lm/W	
Color temperature	3000 К	
Light color (designation)	Warm White	
Color rendering index Ra	≥80	
Standard deviation of color matching	≤6 sdcm	
Beam angle	105 °	

# **Dimensions & Weight**

Length	350.00 mm
Width	170.00 mm
Height	370.00 mm
Product weight	435.00 g



# Materials & Colors

Product color	Gray	
Housing color	Gray	
Body material	Acrylonitrile butadiene styrene (ABS)	

Cover material	Plastic	
Light emitting surface material	Plastic	
Mercury content	0.0 mg	

## Application & Mounting

Ambient temperature range	0+40 °C
Temperature range at storage	-20+45 °C
Type of protection	IP20
Dimmable	Yes
Mounting type	Surface
Mounting location	Table
Adjustable	Yes
LED module replaceable	Not replaceable

# Lifespan

Lifespan L70/B50 at 25 °C	30000 h
Number of switching cycles	100000

## Certificates & Standards

Standards	CE / EAC / REACH / RoHS
-----------	-------------------------

## **EQUIPMENT / ACCESSORIES**

- USB cable, lenght: 1 m

### **DOWNLOAD DATA**

	DOWNLOAD DATA
POF	User instruction PANAN DISC SINGLE
凸	Tender documents Tender Text 4058075472754
PDF	Declarations of conformity Table lamp PANAN

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075472754	Folding box 1	176 mm x 176 mm x 366 mm	542.00 g	11.34 dm³
4058075472761	Shipping box 4	364 mm x 364 mm x 381 mm	2587.00 g	50.48 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.