

PRODUCT FAMILY DATASHEET

ENDURA® FRAME

Timeless aluminium housing luminaire series with glass diffusor



Areas of application

- Building facades
- Entrance lighting
- Patios, balconies
- Pathway lighting
- Driveways

Product benefits

- High flexibility in the choice of the light source thanks to E27 base
- Easy and quick installation

Product features

- Direct illumination
- Light cover material: glass
- Light cover appearance: clear
- Housing material: aluminum
- Housing color: RAL 7016
- Type of protection: IP44



TECHNICAL DATA


Electrical data

Product description	Operating mode	Nominal voltage
ENDURA FRAME Wall E27	Mains voltage	220...240 V
ENDURA FRAME 60CM Post E27	Mains voltage	220...240 V
ENDURA FRAME 80CM Post E27	Mains voltage	220...240 V


Dimensions & weight

Product description	Length	Height	Width	Product weight
ENDURA FRAME Wall E27	140.00 mm	245.00 mm	110.00 mm	1305.000 g
ENDURA FRAME 60CM Post E27	110.00 mm	600.00 mm	110.00 mm	1413.000 g
ENDURA FRAME 80CM Post E27	110.00 mm	800.00 mm	110.00 mm	1534.000 g


Product line drawing



ENDURA FRAME Wall E27,



ENDURA FRAME 60CM Post E27,



ENDURA FRAME 80CM Post E27

Colors & materials

Product description	Body material	Product color	Housing color	Cover material
ENDURA FRAME Wall E27	Aluminum	Dark gray	Dark gray	Glass
ENDURA FRAME 60CM Post E27	Aluminum	Dark gray	Dark gray	Glass
ENDURA FRAME 80CM Post E27	Aluminum	Dark gray	Dark gray	Glass

Temperatures & operating conditions

Product description	Ambient temperature range
ENDURA FRAME Wall E27	-20...+40 °C
ENDURA FRAME 60CM Post E27	-20...+40 °C
ENDURA FRAME 80CM Post E27	-20...+40 °C

Additional product data

Product description	Mounting location	Product remark
ENDURA FRAME Wall E27	Wall	Maximum bulb wattage: 60 W
ENDURA FRAME 60CM Post E27	Ground	Maximum bulb wattage: 60 W
ENDURA FRAME 80CM Post E27	Ground	Maximum bulb wattage: 60 W

Capabilities

Product description	Dimmable	Type of connection	Holder designation
ENDURA FRAME Wall E27	No	Terminal, 3-Pole (L, N, PE)	E27
ENDURA FRAME 60CM Post E27	No	Terminal, 3-Pole (L, N, PE)	E27
ENDURA FRAME 80CM Post E27	No	Terminal, 3-Pole (L, N, PE)	E27

Certificates & standards

Product description	Standards
ENDURA FRAME Wall E27	CE / EAC / RoHS / REACH
ENDURA FRAME 60CM Post E27	CE / EAC / RoHS / REACH
ENDURA FRAME 80CM Post E27	CE / EAC / RoHS / REACH

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included
- No light sources included

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.




SALES AND TECHNICAL SUPPORT

Sales and Technical Support www.ledvance.com

COUNTRY SPECIFIC INFORMATION

Product description	Product code	METEL-Code	SEG number	STK number	UK Org
ENDURA FRAME Wall E27	4058075554399	-	-	-	-
ENDURA FRAME 60CM Post E27	4058075554412	-	-	-	-
ENDURA FRAME 80CM Post E27	4058075554436	-	-	-	-

DOWNLOAD DATA

DOWNLOAD DATA	
	User instruction ENDURA CLASSIC
	User instruction ENDURA CLASSIC
	User instruction ENDURA CLASSIC

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075554399	Folding box 1	114 mm x 145 mm x 250 mm	1397.00 g	4.13 dm ³
4058075554412	Folding box 1	120 mm x 120 mm x 610 mm	1500.00 g	8.78 dm ³
4058075554436	Folding box 1	120 mm x 120 mm x 810 mm	1645.00 g	11.66 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.