










PRECISION PS15

AFFORDABLE AND COMPACT MICRO-ATX CHASSIS
WITH OUTSTANDING COOLING POTENTIAL




DISASSEMBLE CHART




	ITEM	PURPOSE
	STANDOFF-M3 X 6.5H-632 X 4.75-BK	Secure motherboard
	SCREW-PAN-φ4 X 2.8H-M3 X 3-BK	Secure SSD
	SSD-RUBBER	Cushion SSD with screw
	SCREW-HW-6-32 X 6-BK	Secure PSU / expansion cards
	SCREW-PW-M3 X 6-BK	Secure SSD / motherboard
	BUNCH WIRE TIES	Cable management

2.5" / 3.5" DRIVE INSTALLATION GUIDE

- 1 Install the 3.5"/2.5" hard drive into the 3.5" drive bracket, and then slide the whole 3.5" bracket into the chassis.




- 2 Install 2.5" drive screws and anti-vibration pads onto the bottom of 2.5" drive, and then install the assembled drive on top of the 3.5" drive bracket or on the motherboard bracket.



COMPONENT SIZE LIMITATIONS


The PS15 was designed to accommodate oversized components, but we still recommend referring to the following dimension guidelines:

(1) CPU Cooler limitation




Height limitation for CPU cooler is 154mm with 25mm clearance over the motherboard's top edge, and if there is still fan installation over the motherboard; please ensure to take the thickness of fan installation within the cooler height limitation.

(2) Power supply limitation



The PS15 supports power supply with depth of up to 150mm.


(3) Graphics card / expansion card length limitation




PS15 can support 12.3" (314mm) graphics cards

LIQUID COOLER RADIATOR SUPPORT

- 1 The rear fan slot supports one 120mm radiator. The 41mm of clearance from the right edge of fan slot is to the motherboard surface. If you wish to install a radiator in this position, please ensure motherboard components do not interfere with it.



- 2 The front fan slots support 120mm or 240mm radiators. The total length limitation for radiator in this area is 310mm. Graphics card length support will vary depending on the thickness of the radiator used.



WARRANTY

All SilverStone retail products have from the date of purchase, a minimum of 1 year limited warranty (select products listed below have 2, 3 or 5 year warranty)

WARRANTY TERMS & CONDITIONS

1. Product component defects or damages resulted from defective production is covered under warranty.

Defects or damages with the following conditions will be fixed or replaced under SilverStone Technology's jurisdiction.

- a) Usage in accordance with instructions provided in this manual, with no misuse, overuse, or other inappropriate actions.
- b) Damage not caused by natural disaster (thunder, fire, earthquake, flood, salt, wind, insect, animals, etc...)
- c) Product is not disassembled, modified, or fixed. Components not disassembled or replaced.
- d) Warranty mark/stickers are not removed or broken. Loss or damages resulted from conditions other than ones listed above are not covered under warranty.

.....

2. Under warranty, SilverStone Technology's maximum liability is limited to the current market value for the product (depreciated value, excluding shipping, handling, and other fees). SilverStone Technology is not responsible for other damages or loss associated with the use of product.

.....

3. Under warranty, SilverStone Technology is obligated to repair or replace its defective products. Under no circumstances will SilverStone Technology be liable for damages in connection with the sale, purchase, or use including but not limited to loss of data, loss of business, loss of profits, loss of use of the product or incidental or consequential damage whether or not foreseeable and whether or not based on breach of warranty, contract or negligence, even if SilverStone Technology has been advised of the possibility of such damages.

4. Warranty covers only the original purchaser through authorized SilverStone distributors and resellers and is not transferable to a second hand purchaser.

5. You must provide sales receipt or invoice with clear indication of purchase date to determine warranty eligibility.

6. If a problem develops during the warranty period, please contact your retailer/reseller/SilverStone authorized distributors or SilverStone <http://www.silverstonetek.com>. Please note that:

- (i) You must provide proof of original purchase of the product by a dated itemized receipt
- (ii) You shall bear the cost of shipping (or otherwise transporting) the product to SilverStone authorized distributors. SilverStone authorized distributors will bear the cost of shipping (or otherwise transporting) the product back to you after completing the warranty service
- (iii) Before you send the product, you must be issued a Return Merchandise Authorization (“RMA”) number from SilverStone. Updated warranty information will be posted on SilverStone’s official website. Please visit <http://www.silverstonetek.com> for the latest updates.

ADDITIONAL INFO & CONTACTS

For North America (usasupport@silverstonetek.com)

SilverStone Technology in North America may repair or replace defective product with refurbished product that is not new but has been functionally tested. Replacement product will be warranted for remainder of the warranty period or thirty days, whichever is longer. All products should be sent back to the place of purchase if it is within 30 days of purchase, after 30 days, customers need to initiate RMA procedure with SilverStone Technology in USA by first downloading the "USA RMA form for end-users" form from the below link and follow its instructions.

<http://silverstonetek.com/contactus.php>

For Australia only (support@silverstonetek.com)

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. Please refer to above "Warranty terms & conditions" for further warranty details.

SilverStone Technology Co., Ltd. 12F No. 168 Jiankang Rd.,
Zhonghe Dist., New Taipei City 235 Taiwan R.O.C.

+ 886-2-8228-1238 (standard international call charges apply)

For Europe support.eu@silverstonetek.de

For China support@silverstonetek.com.cn

For Japan support_jp@silverstonetek.co.jp

For all other regions support@silverstonetek.com

©2018 SilverStone Technology Co., Ltd. All Rights Reserved
ALL trademarks are registered to their respective owners