

# KNOT

IoT Gateway for the most versatile  
and cost-effective setups



CAT-M/NB  
technology



2.4 GHz  
wireless



Bluetooth



2x 100 Mbps  
Ethernet ports



PoE-in &  
PoE-out



MicroUSB



GNSS



GPIO



RS485/Modbus

The newest addition to the MikroTik IoT product family – KNOT – is a truly universal device with exceptional connectivity options and protocol support. It is an IoT Gateway that uses Narrow Band and CAT-M technology. Because of the low cost, low bandwidth cellular connection, it is supported by countless mobile operators around the globe. KNOT can monitor onboard GPIOs, convert Modbus protocol to TCP, and even forward Bluetooth packets to TCP/IP network via HTTPS and MQTT.

You can use the KNOT as a TCP bridge from wired Modbus sensors to send readings to a Modbus server. Yes, the KNOT brings wireless connectivity to wired sensors and actuators, such as electricity meters and relays.

It could be used as a backup connection for the Ethernet or as a management channel for your network. NB/CAT-M monthly plan is much cheaper than LTE. Why spend extra money on bandwidth you don't need? For example, you can manage a KNOT-powered vending machine with temperature and moisture sensors with only a few megabytes per day!


**/** KNOT features so many protocol support and connectivity options: 2.4 GHz wireless, Bluetooth, 2x 100 Mbps Ethernet ports with PoE-in and PoE-out, Micro-USB. Maximum convenience at the lowest cost!

With the Bluetooth interface, you can use the KNOT for asset tracking and telemetry based on Bluetooth advertisement packets. KNOT supports any BLE tag that sends advertisement data. iBeacon, Eddystone or any other format. It has powerful filters for forwarding only relevant packets and ignoring others.


Comes with a DIN rail mount! Suitable for mounting in outdoor cabinets and enclosures.




NB/CAT-M GNSS




## Connection to a remote network




# Proximity based asset tracking




# Telemetry - Sensor reading



# RS485 Modbus to TCP/IP bridge



# Monitor GPIO





## Wiliot tag support

KNOT supports Wiliot Battery-Free (energy harvesting) Bluetooth Tags for short range (1-3m) disposable tracking tags (stickers) which can be attached to virtually everything and helps monitoring the contents of a specific cabinet, refrigerator or shelf for retail, medical or warehouse applications.

